

# Slide

## Conveyor Lubricant for Trays and Plastic Cases

Product Number 4804

### Description

A top quality, soap based conveyor lubricant with high chelating value, low cloud point, and high active solids content. An optimum blend of synthetic detergents and water conditioners to provide maximum lubricity. Effective at a rate of 1:140 and can be used in positive (pump) and negative (suction) systems. Cleans while it lubricates.

### Directions

Apply to all types of conveying apparatus to clean and lubricate. Use in continuous application on bottling/canning lines. Dilute to 1:150 for these applications. Use as daily cleaner/lubricant for shackle chain and trolley after production in poultry and meat processing operations. Apply sparingly at dilution of 1:40 to 1:80. Allow 10-30 minutes dwell time and rinse thoroughly.

### Technical Data

Form .....	Liquid	Foam .....	High
Color .....	Clear, Amber	Phosphorus .....	None
Odor .....	Bland	Viscosity .....	Medium
pH (1%).....	8-8.5	Density .....	8.60 lbs/gallon

**Product Category:** Food Service Specialties  
**DOT Shipping Name:** Compound, Cleaning, Liquid

### Cautions

Contains wetting agents. Do not ingest or allow contact with skin or eyes. If ingested: Drink plenty of water and get medical attention immediately. Do not induce vomiting unless instructed by a physician to do so. Never give fluids to an unconscious person. In case of eye contact: If contacts are worn, remove them, then raise eyelids and flush eyes with clear water for 15 minutes making sure to flush under eyelids. Get medical attention immediately. In case of skin contact: Remove contaminated clothing. Flush skin areas with clear water, then wash with a mild soap. If irritation occurs, get medical attention. In case of inhalation: Move victim to fresh air. Get medical advice. Refer to your Material Safety Data Sheet for additional cautions and handling procedures.



Partners In Productivity

PDQ Manufacturing, Inc.

201 Victory Circle | Ellijay, GA 30540 USA | (800) 248-2401 | Fax: (706) 636-1849 | [www.pdqonline.com](http://www.pdqonline.com)