Page: 1 of 5

OPTIBLEND #1 GLASS & SURFACE CLNR

1. Product and Company Identification

Product Code: 4163

Product Name: OPTIBLEND #1 GLASS & SURFACE CLNR Revision: 02/06/2018

Supersedes Revision: 11/30/2017

Manufacturer Information:

Company Name: PDQ Manufacturing, Inc. Phone Number:

201 Victory Circle (706)636-1848

Ellijay, GA 30540

Web site address: www.pdqonline.com

Emergency Contact: Chemtrec, Reference: CCN203605 (800)424-9300 **Information:** info@pdqonline.com (706)636-1848

Supplier Name and Address:

Company Name: Phone Number:

2. Hazards Identification

Flammable Liquids, Category 3
Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Warning

GHS Hazard Phrases: H226 - Flammable liquid and vapor.

H302+312+332 - Harmfull if swallowed, in contact with skin or if inhaled.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H336 - May cause drowsiness or dizziness.

GHS Precaution Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting/or similar equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge. P261 - Avoid breathing vapors from the concentrated product.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

OPTIBLEND #1 GLASS & SURFACE CLNR

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P321 - Specific treatment see appropriate section on this label.

P330 - Rinse mouth.

P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.

P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal

P403+235 - Store in cool/well-ventilated place.

Phrases:

P405 - Store locked up.

P501 - Dispose of contents/container to trash after rinsing.

Potential Health Effects (Acute and Chronic):

Inhalation: May cause respiratory tract irritation. May cause narcotic effects in high concentration.

Causes skin irritation. **Skin Contact:**

Eye Contact: Causes eye irritation. Causes redness and pain.

Harmful if swallowed. May cause irritation of the digestive tract. May cause Ingestion:

gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS# **Hazardous Components (Chemical Name)** Concentration 111-76-2 Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, 30.0 -60.0 % Glycol Ether EB} 67-63-0 Isopropyl alcohol {sec-Propyl alcohol; IPA; 10.0 -15.0 %

2-Propanol}

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash off with soap and plenty of water.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. In Case of Eye Contact:

Never give anything by mouth to an unconscious person. Rinse mouth with water. In Case of Ingestion:

Consult a physician.

OPTIBLEND #1 GLASS & SURFACE CLNR

5. Fire Fighting Measures

< 60.00 C Flash Pt:

LEL: No data. UEL: No data. **Explosive Limits:**

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a

fire. Flammable liquid and vapor.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Steps To Be Taken In Case Material Is Released Or

Use proper personal protective equipment as indicated in Section 8.

Spilled:

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. (See Exposure Controls, Personal Protection section). Remove all

sources of ignition. Use a spark-proof tool. Do not let this chemical enter the

environment. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local

regulations (see section 13).

- No smoking.

7. Handling and Storage

Precautions To Be Taken in Handling:

Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Avoid inhalation of vapor or mist. Keep away from sources of ignition

Precautions To Be Taken in

Storing:

Keep away from sources of ignition. Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls/Personal Protection

| CAS# | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|----------|---|--------------|-------------------------------|--------------|
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | PEL: 50 ppm | TLV: 20 ppm | No data. |
| 67-63-0 | Isopropyl alcohol {sec-Propyl alcohol; IPA: 2-Propanol} | PEL: 400 ppm | TLV: 200 ppm STEL: 400 ppm | No data. |

Respiratory Equipment

(Specify Type):

Respirator protection is not normally required.

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection:**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves:

Glove protection is not normally required.

Other Protective Clothing:

Protective garments not normally required.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Environmental Exposure

Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

OPTIBLEND #1 GLASS & SURFACE CLNR

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear blue liquid

Solvent odor.

Melting Point:No data.Boiling Point:No data.Autoignition Pt:No data.Flash Pt:< 60.00 C</th>

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): ~ 0.90 Vapor Pressure (vs. Air or No data.

mm Hg):

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: No data.

Solubility in Water: Complete

Viscosity: Thin

pH: 9-10

Percent Volatile: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Incompatible materials, ignition sources, Heat, flames and sparks. Extremes of

Instability: temperature and direct sunlight.

Incompatibility - Materials To Strong acids. Strong bases, Aluminum, Oxidizing agents, Acid anhydrides, Halogenated

Avoid: compounds, Acids.

Hazardous Decomposition or No data available.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

| CAS# | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|----------|---|------|------|-------|------|
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | n.a. | 3 | A3 | n.a. |
| 67-63-0 | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol} | n.a. | 3 | A4 | n.a. |

12. Ecological Information

No data available.

OPTIBLEND #1 GLASS & SURFACE CLNR

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Flammable liquids, n.o.s. (Isopropyl alcohol)

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: UN1993 Packing Group: III



15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS# | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|----------|--|--------------|-----------|---------------|
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, | No | No | Yes-Cat. N230 |

Glycol Ether EB}

67-63-0 Isopropyl alcohol {sec-Propyl alcohol; IPA; No No Yes

2-Propanol}

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

111-76-2 Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Glycol Ether EB} Inventory; CA PROP.65: No

67-63-0 Isopropyl alcohol {sec-Propyl alcohol; IPA; CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

2-Propanol} Inventory; CA PROP.65: No

16. Other Information

Revision Date: 02/06/2018

Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH

FLAMMABILITY

REACTIVITY

PPE

P

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.