

SAFETY DATA SHEET**OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE****1. Product and Company Identification**

Product Code: 4217
Product Name: OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE
Revision: 04/20/2023
Supersedes Revision: 10/11/2022

Manufacturer Information: PDQ Manufacturing, Inc.
 201 Victory Circle
 Ellijay, GA 30540
Phone Number: (706)636-1848
Web site address: www.pdqonline.com

Emergency Contact: Chemtrec (800)424-9300 / 24 Hr.
 Leak, Spill, Exposure, Fire, Accident

Supplier Name and Address: **Phone Number:**

2. Hazards Identification

Flammable Liquids, Category 4

Eye Irritation, Category 2



GHS Signal Word: **Warning**

GHS Hazard Phrases: H227 - Combustible liquid.
 H319 - Causes serious eye irritation.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P264 - Wash hands thoroughly after handling.
 P280 - Wear eye protection.

GHS Response Phrases: P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
 P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: P403+235 - Store in cool/well-ventilated place.
 P501 - Dispose of contents/container in accordance with all local, regional, national and international regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: No hazard expected in normal industrial use.

Skin Contact: Causes skin irritation. Allergic reactions are possible.

Eye Contact: Causes severe eye irritation and possible burns.

Ingestion: Harmful if swallowed.

SAFETY DATA SHEET

OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	2.0 -5.0 %

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation:	If breathed in, move person into fresh air. Consult a physician.
In Case of Skin Contact:	Wash off with soap and plenty of water. If irritation develops, get medical aid.
In Case of Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Note to Physician:	None known.

5. Fire Fighting Measures

Flash Pt:	~ 165.00 F Method Used: Estimate
Explosive Limits:	LEL: UEL:
Autoignition Pt:	
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
Flammable Properties and Hazards:	Carbon oxides.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:	Use personal protective equipment.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. Handling and Storage

Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. For precautions see section 2.
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. No special storage requirements.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	

SAFETY DATA SHEET**OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE**

Respiratory Equipment (Specify Type):	Respirator protection is not normally required.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Protective garments not normally required.
Other Protective Clothing:	Protective garments not normally required.
Engineering Controls (Ventilation etc.):	There are no special ventilation requirements.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Environmental Exposure Controls:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. Physical and Chemical Properties

Physical States:	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
Appearance and Odor:	Clear green liquid Heavily fragranced odor.
Melting Point:	
Boiling Point:	
Autoignition Pt:	
Flash Pt:	~ 165.00 F Method Used: Estimate
Explosive Limits:	LEL: UEL:
Specific Gravity (Water = 1):	~ 1.0
Vapor Pressure (vs. Air or mm Hg):	
Vapor Density (vs. Air = 1):	
Evaporation Rate:	
Solubility in Water:	Complete
Viscosity:	Thin
pH:	4-6 @ 1%
Percent Volatile:	

10. Stability and Reactivity

Stability:	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>
Conditions To Avoid - Instability:	Heat, flames and sparks.
Incompatibility - Materials To Avoid:	
Hazardous Decomposition or Byproducts:	
Possibility of Hazardous Reactions:	Will occur <input type="checkbox"/> Will not occur <input checked="" type="checkbox"/>
Conditions To Avoid - Hazardous Reactions:	

SAFETY DATA SHEET

OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE

11. Toxicological Information

Toxicological Information:

Sensitization: No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	n.a.	3	n.a.	n.a.

12. Ecological Information

13. Disposal Considerations

Waste Disposal Method: Product.
 Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.
 Contaminated packaging. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
 RCRA P-Series: None listed.
 RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	No	No	Yes

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
67-63-0	Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

16. Other Information

Revision Date: 04/20/2023

Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
PPE	A

HMIS:

Additional Information About This Product:

Company Policy or Disclaimer: The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named

SAFETY DATA SHEET**OPTIBLEND #3 AIR FRESHENER-FRESH BREEZE**

product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.