



Disinfecting Cleaner

One Step Disinfectant

Product Number 4487

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

GENERAL INFORMATION:

This product is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* including HIV-1, the AIDS Virus and Hepatitis B Virus and Hepatitis C virus, fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. This product is a mildewstat and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard nonporous surfaces. This product will disinfect, clean and deodorize hard, non-porous surfaces in rest rooms and toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. Use this product on washable hard, nonporous surfaces of: appliances exteriors, countertops, bathroom fixtures, showers, tubs, toilets, urinals, floors and walls. Use this product in the laundry to control odors on musty bedding and linens. Test on a small inconspicuous area before using. {Not for use in California}. Use this product on mildew stains in damp areas such as bathrooms, showers, kitchens, basements and laundry rooms. Use this product to clean and disinfect finished floors. Can be applied with damp mop or autoscrubber. Cleans and disinfects without dulling gloss. As a disinfectant, this product is effective against: Bacteria: *Pseudomonas aeruginosa*, *Salmonella enterica*, *Staphylococcus aureus*, *Acinetobacter baumannii*, *Burkholderia cepacia*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae* NDM-1, *Enterococcus faecalis*, *Enterococcus faecalis* - Vancomycin resistant, *Escherichia coli*, *Escherichia coli*, New Delhi Metallo-Beta Lactamase (NDM-1), ESBL *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – NDM-1 positive, *Legionella pneumophila*, *Listeria monocytogenes*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300], *Staphylococcus aureus* - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400], *Staphylococcus aureus* - Methicillin-Resistant [MRSA], *Staphylococcus aureus* Multi-Drug Resistant, *Staphylococcus aureus* - Vancomycin Intermediate Resistant, *Streptococcus pyogenes*, and *Vibrio cholerae*. Viruses: *Hepatitis B Virus, *Hepatitis C Virus, *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1; *Human Coronavirus, *Influenza Virus Type A / Brazil, *Influenza Virus Type A / Hong Kong, *2013 Influenza A Virus (H7N9), *Respiratory Syncytial Virus, *SARS Associated Coronavirus, (cause of Severe Acute Respiratory Syndrome), *Vaccinia [Pox Virus], *Norwalk Virus (Norovirus), *Rotavirus. Fungi: *Aspergillus niger*, *Aspergillus fumigatus*, *Trichophyton mentagrophytes*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

DISINFECTION / VIRUCIDAL* / FUNGICIDAL / MOLD & MILDEW CONTROL DIRECTIONS:

Apply this product undiluted to hard, nonporous surfaces, thoroughly wetting the surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes.



Partners In Productivity

PDQ Manufacturing, Inc.

201 Victory Circle | Ellijay, GA 30540 USA | (800) 248-2401 | Fax: (706) 636-1849 | www.pdqonline.com

For Influenza Virus Type A and Human Coronavirus, treated surfaces must remain wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity: This product is an effective one-step fungicide against Trichophyton mentagrophytes when used on hard nonporous surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Allow surface to remain wet for 10 minutes.

For mold and mildew: Repeat treatment every 7 days or more often if new growth appears.

TO CLEAN AND DEODORIZE: Apply undiluted to surfaces with a cloth, mop, sponge or sprayer. Wipe or allow to air dry. This product is not for use on medical device surfaces.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:

Remove gross filth prior to disinfection. Empty toilet or urinal and apply this product to exposed surfaces and under the rim with a cloth, mop, sponge, or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes, and flush.

FOR USE ON FINISHED FLOORS: Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry.

***KILLS HIV-1 AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids. Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. Contact Time: Leave surface wet for 1 minute for HIV-1 and 10 minutes for HBV and HCV. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed. Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

WATER DAMAGE RESTORATION AGAINST ODOR-CAUSING BACTERIA AND FUNGI FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE: {Not for use in California}

This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushions, subfloors, drywall, trim and frame lumber, tackless strip and paneling. Saturate the affected materials with enough product to remain wet for at least 10 minutes.

Sewer Backup and River Flooding: During mitigation procedures, remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction.

Carpets, Carpet Cushions and Other Porous Materials such as Subfloors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling: For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow materials to remain wet for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

Special instructions For Cleaning Carpet Against Odor Causing Bacteria: Use this product in industrial and institutional areas such as homes, motels, hotels, nursing homes, schools, and hospitals. Use on wet-cleanable synthetic fibers. Do not use on wool. Vacuum carpet thoroughly prior to cleaning. Test fabric for colorfastness. Do not mix this product with other cleaning products. Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using the product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not over-wet. If applied to stain resistant nylon carpet, apply a fabric protector according to the manufacturer's directions.



Technical Data

Form.....Liquid
Color.....Green

OdorBright, Fresh
pH (1% solution).....10.00 – 12.00

DOT Shipping Name: Consumer Commodity, ORM-D
EPA Reg. No. 6836-152-58880 / EPA Est. No. 58880-GA-1

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse or equivalent. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Partners In Productivity

PDQ Manufacturing, Inc.

201 Victory Circle | Ellijay, GA 30540 USA | (800) 248-2401 | Fax: (706) 636-1849 | www.pdqonline.com