

# SAFETY DATA SHEET

## RTP ALL PURPOSE CLEANER

### 1. Product and Company Identification

**Product Code:** 4489  
**Product Name:** RTP ALL PURPOSE CLEANER  
**Revision:** 02/14/2019  
**Supersedes Revision:** 07/05/2017

**Manufacturer Information:**

**Company Name:** PDQ Manufacturing, Inc. **Phone Number:** (706)636-1848  
 201 Victory Circle

Ellijay, GA 30540

**Web site address:** www.pdqonline.com

**Emergency Contact:** Chemtrec, Reference: CCN203605 (800)424-9300  
**Information:** info@pdqonline.com (706)636-1848

**Supplier Name and Address:**

**Company Name:** WALLY DROST, JR. **Phone Number:** 706/636-1848  
 201 VICTORY CIRCLE

ELLIJAY, GA 30540

### 2. Hazards Identification

**Serious Eye Damage/Eye Irritation, Category 2**

**Skin Corrosion/Irritation, Category 3**



**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H316 - Causes mild skin irritation.  
 H319 - Causes serious eye irritation.

**GHS Precautionary Phrases:** P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves and eye protection.

**GHS Response Phrases:** P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.

P332+313 - If skin irritation occurs, get medical advice/attention.

P337+313 - If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal Phrases:** No phrases apply.

**Potential Health Effects (Acute and Chronic):** Prolonged or repeated skin contact may cause defatting and dermatitis.

Chronic: Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use.

**Inhalation:** No hazard expected in normal industrial use.

**Skin Contact:** Causes mild skin irritation.

**Eye Contact:** Causes eye irritation.

**Ingestion:** Harmful if swallowed.

# SAFETY DATA SHEET

## RTP ALL PURPOSE CLEANER

### 3. Composition/Information on Ingredients

| CAS #      | Hazardous Components (Chemical Name)                                | Concentration |
|------------|---|---------------|
| 67-63-0    | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}             | 1.0 -2.0 %    |
| 111-76-2   | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | 1.0 -2.0 %    |
| 68515-73-1 | D-Glucopyranose, oligomeric, decyl octyl glycosides                 | 1.0 -3.0 %    |

### 4. First Aid Measures

#### Emergency and First Aid

##### Procedures:

|                                 |   |
|---------------------------------|---|
| <b>In Case of Inhalation:</b>   | If breathed in, move person into fresh air. If breathing becomes difficult, call a physician.   |
| <b>In Case of Skin Contact:</b> | In case of contact, flush skin with plenty of water. Get medical aid if irritation develops and persists. Wash clothing before reuse.       |
| <b>In Case of Eye Contact:</b>  | Get medical aid. Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.                 |
| <b>In Case of Ingestion:</b>    | Get medical aid immediately. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward. |

### 5. Fire Fighting Measures

|  |  |
|--|--|
| <b>Flash Pt:</b>                         | NP   |
| <b>Explosive Limits:</b>                 | LEL: N.A. UEL: N.A.  |
| <b>Autoignition Pt:</b>                  | NP   |
| <b>Suitable Extinguishing Media:</b>     | Material is non-combustible.   |
| <b>Fire Fighting Instructions:</b>       | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. |
| <b>Flammable Properties and Hazards:</b> | No data available.   |

### 6. Accidental Release Measures

|   |  |
|---|--|
| <b>Steps To Be Taken In Case Material Is Released Or Spilled:</b> | Use proper personal protective equipment as indicated in Section 8.<br>Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. |
|---|--|

### 7. Handling and Storage

|   |  |
|---|--|
| <b>Precautions To Be Taken in Handling:</b> | No special handling procedures are required. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. |
| <b>Precautions To Be Taken in Storing:</b>  | No special storage requirements.   |

### 8. Exposure Controls/Personal Protection

| CAS #      | Partial Chemical Name   | OSHA TWA     | ACGIH TWA                     | Other Limits |
|------------|---|--------------|-------------------------------|--------------|
| 67-63-0    | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}             | PEL: 400 ppm | TLV: 200 ppm<br>STEL: 400 ppm | No data.     |
| 111-76-2   | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | PEL: 50 ppm  | TLV: 20 ppm                   | No data.     |
| 68515-73-1 | D-Glucopyranose, oligomeric, decyl                                  | No data.     | No data.                      | No data.     |

# SAFETY DATA SHEET

## RTP ALL PURPOSE CLEANER

octyl glycosides

|   |   |
|---|---|
| <b>Respiratory Equipment (Specify Type):</b>    | Respirator protection is not normally required.   |
| <b>Eye Protection:</b>                          | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| <b>Protective Gloves:</b>                       | Use of gloves is recommended.   |
| <b>Other Protective Clothing:</b>               | Wear appropriate protective clothing to prevent skin exposure.  |
| <b>Engineering Controls (Ventilation etc.):</b> | There are no special ventilation requirements.  |

### 9. Physical and Chemical Properties

|   |                                      |
|---|--------------------------------------|
| <b>Physical States:</b>                   | [ ] Gas [ X ] Liquid [ ] Solid       |
| <b>Appearance and Odor:</b>               | Clear yellow liquid.<br>floral-like. |
| <b>Freezing Point:</b>                    | ~ 0.00 C                             |
| <b>Boiling Point:</b>                     | ~ 100.00 C                           |
| <b>Decomposition Temperature:</b>         | NP                                   |
| <b>Autoignition Pt:</b>                   | NP                                   |
| <b>Flash Pt:</b>                          | NP                                   |
| <b>Explosive Limits:</b>                  | LEL: N.A. UEL: N.A.                  |
| <b>Specific Gravity (Water = 1):</b>      | 1.004 - 1.025 at 25.0 C              |
| <b>Vapor Pressure (vs. Air or mm Hg):</b> | NE                                   |
| <b>Vapor Density (vs. Air = 1):</b>       | NE                                   |
| <b>Evaporation Rate:</b>                  | > 1 (H <sub>2</sub> O=1)             |
| <b>Solubility in Water:</b>               | 100%                                 |
| <b>Saturated Vapor Concentration:</b>     | NE                                   |
| <b>Viscosity:</b>                         | Thin                                 |
| <b>pH:</b>                                | 10.5 - 12.5                          |
| <b>Percent Volatile:</b>                  | > 90.0 % by weight.                  |
| <b>VOC / Volume:</b>                      | 0.0000 G/L                           |

### 10. Stability and Reactivity

|   |                                     |
|---|-------------------------------------|
| <b>Stability:</b>                                 | Unstable [ ] Stable [ X ]           |
| <b>Conditions To Avoid - Instability:</b>         | Incompatible materials.             |
| <b>Incompatibility - Materials To Avoid:</b>      | None.                               |
| <b>Hazardous Decomposition or Byproducts:</b>     | None.                               |
| <b>Possibility of Hazardous Reactions:</b>        | Will occur [ ] Will not occur [ X ] |
| <b>Conditions To Avoid - Hazardous Reactions:</b> | No data available.                  |

# SAFETY DATA SHEET

## RTP ALL PURPOSE CLEANER

### 11. Toxicological Information

**Toxicological Information:** Epidemiology: No data available.  
 Teratogenicity: No data available.  
 Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: No information found.  
 Teratogenicity: No information available.

| CAS #      | Hazardous Components (Chemical Name)                                | NTP  | IARC | ACGIH | OSHA |
|------------|---|------|------|-------|------|
| 67-63-0    | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}             | n.a. | 3    | A4    | n.a. |
| 111-76-2   | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | n.a. | 3    | A3    | n.a. |
| 68515-73-1 | D-Glucopyranose, oligomeric, decyl octyl glycosides                 | n.a. | n.a. | n.a.  | n.a. |

### 12. Ecological Information

No data available.

### 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Not regulated as a hazardous material.

**DOT Hazard Class:**

**UN/NA Number:** **Packing Group:** I

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

| CAS #      | Hazardous Components (Chemical Name)                                | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI)  |
|------------|---|--------------|-----------|---------------|
| 67-63-0    | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}             | No           | No        | Yes           |
| 111-76-2   | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | No           | No        | Yes-Cat. N230 |
| 68515-73-1 | D-Glucopyranose, oligomeric, decyl octyl glycosides                 | No           | No        | No            |

| CAS #      | Hazardous Components (Chemical Name)                                | Other US EPA or State Lists   |
|------------|---|---|
| 67-63-0    | Isopropyl alcohol {sec-Propyl alcohol; IPA; 2-Propanol}             | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |
| 111-76-2   | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |
| 68515-73-1 | D-Glucopyranose, oligomeric, decyl octyl glycosides                 | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |

# SAFETY DATA SHEET

## RTP ALL PURPOSE CLEANER

### 16. Other Information

**Revision Date:** 02/14/2019  
**Preparer Name:** Regulatory Affairs

|                              |                     |  |          |
|------------------------------|---------------------|--|----------|
| <b>Hazard Rating System:</b> | <b>HEALTH</b>       |  | <b>1</b> |
|                              | <b>FLAMMABILITY</b> |  | <b>0</b> |
|                              | <b>REACTIVITY</b>   |  | <b>0</b> |
|                              | <b>PPE</b>          |  | <b>A</b> |

**HMIS:**

**Additional Information About This Product:** No data available.

**Company Policy or Disclaimer:**

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.