

SAFETY DATA SHEET

RTP SUPER OVEN CLEANER

1. Product and Company Identification

Product Code: 4495
Product Name: RTP SUPER OVEN CLEANER
Revision: 02/14/2019
Supersedes Revision: 07/06/2017

Manufacturer Information:

Company Name: PDQ Manufacturing, Inc. **Phone Number:**
 201 Victory Circle (706)636-1848

Ellijay, GA 30540

Web site address: www.pdqonline.com

Emergency Contact: Chemtrec, Reference: CCN203605 (800)424-9300
Information: info@pdqonline.com (706)636-1848

Supplier Name and Address:

Company Name: _____ **Phone Number:**

2. Hazards Identification

Skin Corrosion/Irritation, Category 1A

Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: **Danger**

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.
 H318 - Causes serious eye damage.

GHS Precautionary Phrases: P264 - Wash hands thoroughly after handling.
 P280 - Wear protective gloves and eye protection.

GHS Response Phrases: P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
 P310 - Immediately call a POISON CENTER or doctor/physician.
 P321 - Specific treatment see ... on this label.
 P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases: P405 - Store locked up.
 P501 - Dispose of contents/container to ...

SAFETY DATA SHEET

RTP SUPER OVEN CLEANER

Potential Health Effects

(Acute and Chronic):

| | |
|----------------------|---|
| Inhalation: | Harmful if inhaled. |
| Skin Contact: | Causes severe burns with delayed tissue destruction. Causes redness and pain. |
| Eye Contact: | Causes severe eye burns. May cause irreversible eye injury. |
| Ingestion: | Harmful if swallowed. May cause severe and permanent damage to the digestive tract. |

3. Composition/Information on Ingredients

| CAS # | Hazardous Components (Chemical Name) | Concentration |
|-----------|---|---------------|
| 1310-58-3 | Potassium hydroxide {Caustic potash} | 3.0 -10.0 % |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | 1.0 -3.0 % |

4. First Aid Measures

Emergency and First Aid

Procedures:

| | |
|--|---|
| In Case of Inhalation: | Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. |
| In Case of Skin Contact: | Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. |
| In Case of Eye Contact: | Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes). |
| In Case of Ingestion: | If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately. |
| Signs and Symptoms Of Exposure: | Burning sensation, Can cause severe eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes. Can injure eye tissue. Pulmonary edema. |

5. Fire Fighting Measures

| | |
|--|--|
| Flash Pt: | NP |
| Explosive Limits: | LEL: N.A. UEL: N.A. |
| Autoignition Pt: | NP |
| Suitable Extinguishing Media: | Use extinguishing media appropriate to surrounding fire conditions. Use water spray, dry chemical, carbon dioxide, or chemical foam. |
| Fire Fighting Instructions: | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. |
| Flammable Properties and Hazards: | No data available. |

SAFETY DATA SHEET

RTP SUPER OVEN CLEANER

6. Accidental Release Measures

| | |
|---|--|
| Steps To Be Taken In Case Material Is Released Or Spilled: | Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. |
|---|--|

7. Handling and Storage

| | |
|---|---|
| Precautions To Be Taken in Handling: | Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. |
| Precautions To Be Taken in Storing: | Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. |

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|-----------|---|-------------|---------------------------|--------------|
| 1310-58-3 | Potassium hydroxide {Caustic potash} | No data. | CEIL: 2 mg/m ³ | No data. |
| 111-76-2 | Ethanol, 2-Butoxy- (Ethylene glycol n-butyl ether, Glycol Ether EB) | PEL: 50 ppm | TLV: 20 ppm | No data. |

Respiratory Equipment (Specify Type): Respirator protection is not normally required.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): There are no special ventilation requirements. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear, dark tan liquid

Mild solvent odor.

Freezing Point: < 0.00 C

Boiling Point: > 100.00 C - 0.00 C

Decomposition Temperature: NP

Autoignition Pt: NP

Flash Pt: NP

Explosive Limits: LEL: N.A. UEL: N.A.

Specific Gravity (Water = 1): ~ 1.1

Vapor Pressure (vs. Air or mm Hg): NE

Vapor Density (vs. Air = 1): NE

Evaporation Rate: > 1 (H₂O=1)

Solubility in Water: 100%

SAFETY DATA SHEET

RTP SUPER OVEN CLEANER

Saturated Vapor Concentration: NA
Viscosity: NPThin
pH: 13.0-13.5 - @ 100%
Percent Volatile: < 95.0 % by weight.
VOC / Volume: < 2.0000 G/L

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: Incompatible materials.
Incompatibility - Materials To Avoid: Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds. Acids, Strong acids. Strong bases, Aluminum.
Hazardous Decomposition or Byproducts: Oxides of potassium, hydrogen gas. Carbon monoxide.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

11. Toxicological Information

Toxicological Information: No data available.

| CAS # | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|-----------|---|------|------|-------|------|
| 1310-58-3 | Potassium hydroxide {Caustic potash} | n.a. | n.a. | n.a. | n.a. |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | n.a. | 3 | A3 | n.a. |

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
 RCRA P-Series: None listed.
 RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. Limited Quantity. (Potassium hydroxide)
DOT Hazard Class: 8 CORROSIVE
UN/NA Number: UN3266 **Packing Group:** III



SAFETY DATA SHEET

RTP SUPER OVEN CLEANER

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS # | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|-----------|---|--------------|-------------|---------------|
| 1310-58-3 | Potassium hydroxide {Caustic potash} | No | Yes 1000 LB | No |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | No | No | Yes-Cat. N230 |

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|-----------|---|---|
| 1310-58-3 | Potassium hydroxide {Caustic potash} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No |

16. Other Information

Revision Date: 02/14/2019
Preparer Name: Regulatory Affairs

Hazard Rating System:

| | |
|--------------|---|
| HEALTH | 2 |
| FLAMMABILITY | 0 |
| REACTIVITY | 2 |
| PPE | B |

HMIS:

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.