

SAFETY DATA SHEET

ECOFIRST GLISTEN SC

1. Product and Company Identification

Product Code:	4990	Revision:	10/02/2018
Product Name:	ECOFIRST GLISTEN SC		
Manufacturer Information:	PDQ Manufacturing, Inc. 201 Victory Circle Ellijay, GA 30540	Phone Number:	(706)636-1848
Web site address:	www.pdqonline.com		
Emergency Contact:	Chemtrec (800)424-9300 / 24 Hour Leak, Spill, Exposure, Fire, Accident		
Supplier Name and Address:		Phone Number:	

2. Hazards Identification

Corrosive To Metals, Category 1
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1A
Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word:	Danger
GHS Hazard Phrases:	H290 - May be corrosive to metals. H312 - Harmful in contact with skin. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
GHS Precaution Phrases:	P234 - Keep only in original container. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves and eye protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+352 - IF ON SKIN: Wash with plenty of soap and water. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician. P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment see section 4 on this SDS. P322 - Specific measures see SDS. P363 - Wash contaminated clothing before reuse. P390 - Absorb spillage to prevent material damage.
GHS Storage and Disposal Phrases:	P405 - Store locked up. P501 - Dispose of contents/container in accordance with all local, regional, national and

SAFETY DATA SHEET

ECOFIRST GLISTEN SC

international regulations.

Potential Health Effects (Acute and Chronic):

Inhalation: May cause respiratory tract irritation.

Skin Contact: Causes severe skin irritation and burns.

Eye Contact: Causes severe eye burns.

Ingestion: Causes severe digestive tract burns with abdominal pain, vomiting, and possible death.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	40.0 -70.0 %
527-07-1	Sodium Gluconate {D-Gluconic acid, monosodium salt}	10.0 -20.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If breathing is difficult, give oxygen. Consult a physician.

In Case of Skin Contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Get medical aid.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. Fire Fighting Measures

Flash Pt: NP Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Further information. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8. Use personal protective equipment.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Steps To Be Taken In Case Material Is Released Or Spilled: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.
Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal.

SAFETY DATA SHEET

ECOFIRST GLISTEN SC

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid formation of dust and aerosols. For precautions see section 2. Wash thoroughly after handling. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Hygroscopic.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	PEL: 2 mg/m ³	CEIL: 2 mg/m ³	No data.
527-07-1	Sodium Gluconate {D-Gluconic acid, monosodium salt}	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Respirator protection is not normally required.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Handle with gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure. Impervious clothing.

Engineering Controls (Ventilation etc.): Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. There are no special ventilation requirements. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Environmental Exposure Controls: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. Physical and Chemical Properties

Physical States:	[] Gas [] Liquid [X] Solid	
Appearance and Odor:	White to off-white solid block Mild odor.	
Melting Point:	50.00 C - 75.00 C	
Boiling Point:	> 100.00 C	
Autoignition Pt:	No data.	
Flash Pt:	NP Method Used: Estimate	
Explosive Limits:	LEL: No data.	UEL: No data.
Specific Gravity (Water = 1):	~ 1.3	
Vapor Pressure (vs. Air or mm Hg):	No data.	
Vapor Density (vs. Air = 1):	No data.	
Evaporation Rate:	No data.	
Solubility in Water:	Complete	
pH:	> 11.5 - @ 1%	
Percent Volatile:	No data.	

SAFETY DATA SHEET

ECOFIRST GLISTEN SC

10. Stability and Reactivity

Reactivity:	No data available.
Stability:	Unstable [<input type="checkbox"/>] Stable [<input checked="" type="checkbox"/>]
Conditions To Avoid - Instability:	Incompatible materials, Excess heat, Exposure to moisture.
Incompatibility - Materials To Avoid:	Strong acids.
Hazardous Decomposition or Byproducts:	Carbon monoxide, irritating and toxic fumes and gases, Carbon dioxide, sodium oxide.
Possibility of Hazardous Reactions:	Will occur [<input type="checkbox"/>] Will not occur [<input checked="" type="checkbox"/>]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

Toxicological Information:	No data available.
Sensitization:	No data available.
Carcinogenicity/Other Information:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.
527-07-1	Sodium Gluconate {D-Gluconic acid, monosodium salt}	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

	No data available.
Results of PBT and vPvB assessment:	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Persistence and Degradability:	The methods for determining the biological degradability are not applicable to inorganic substances.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.

13. Disposal Considerations

Waste Disposal Method:	Contaminated packaging. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
-------------------------------	--

SAFETY DATA SHEET

ECOFIRST GLISTEN SC

14. Transport Information

LAND TRANSPORT (US DOT):
DOT Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3262

Packing Group: II


15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No
527-07-1	Sodium Gluconate {D-Gluconic acid, monosodium salt}	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
527-07-1	Sodium Gluconate {D-Gluconic acid, monosodium salt}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

16. Other Information

Revision Date: 10/02/2018

Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH	3
FLAMMABILITY	0
REACTIVITY	1
PPE	B

HMIS:
Additional Information About This Product: No data available.

This Product:
Company Policy or
Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.