

**SAFETY DATA SHEET****POWER CHAMP****1. Product and Company Identification**

**Product Code:** 4292  
**Product Name:** POWER CHAMP  
**Revision:** 12/27/2017

**Manufacturer Information:**  
**Company Name:** PDQ Manufacturing, Inc.  
 201 Victory Circle  
 Ellijay, GA 30540  
**Phone Number:** (706)636-1848

**Web site address:** www.pdqonline.com

**Emergency Contact:** Chemtrec, Reference: CCN203605 (800)424-9300  
**Information:** info@pdqonline.com (706)636-1848

**Supplier Name and Address:**  
**Company Name:** PDQ MANUFACTURING, INC.  
 201 VICTORY CIRCLE  
 ELLIJAY, GA 30540  
**Phone Number:** 706/636-1848

**2. Hazards Identification****Skin Corrosion/Irritation, Category 1A****Serious Eye Damage/Eye Irritation, Category 2****Specific Target Organ Toxicity (single exposure), Category 3****Aquatic Toxicity (Acute), Category 3****Aquatic Toxicity (Chronic), Category 3**

**GHS Signal Word:** **Danger**

**GHS Hazard Phrases:** H314 - Causes severe skin burns and eye damage.  
 H319 - Causes serious eye irritation.  
 H335 - May cause respiratory irritation.  
 H412 - Harmful to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P261 - Avoid breathing dust.  
 P264 - Wash hands thoroughly after handling.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P273 - Avoid release to the environment.  
 P280 - Wear protective gloves and eye protection.

**GHS Response Phrases:** P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.  
 P310 - Immediately call a POISON CENTER or doctor/physician.  
 P321 - Specific treatment see appropriate section of the SDS.  
 P337+313 - If eye irritation persists, get medical advice/attention.  
 P363 - Wash contaminated clothing before reuse.

**GHS Storage and Disposal** P405 - Store locked up.

**SAFETY DATA SHEET****POWER CHAMP**

<b>Phrases:</b>	P501 - Dispose of contents/container to trash after rinsing container.
<b>Potential Health Effects (Acute and Chronic):</b>	
<b>Inhalation:</b>	Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract.
<b>Skin Contact:</b>	Causes skin irritation. Causes skin burns. May cause deep, penetrating ulcers of the skin. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color.
<b>Eye Contact:</b>	Causes eye irritation. Lachrymator (substance which increases the flow of tears). Causes eye burns. May cause chemical conjunctivitis and corneal damage.
<b>Ingestion:</b>	May be harmful if swallowed. May cause severe and permanent damage to the digestive tract. Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and shock. May cause corrosion and permanent tissue destruction of the esophagus and digestive tract. May cause systemic effects.

**3. Composition/Information on Ingredients**

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	30.0 -40.0 %

**4. First Aid Measures****Emergency and First Aid Procedures:**

<b>In Case of Inhalation:</b>	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Get medical aid.
<b>In Case of Skin Contact:</b>	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Consult a physician.
<b>In Case of Eye Contact:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
<b>In Case of Ingestion:</b>	Get medical aid immediately. Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.
<b>Note to Physician:</b>	None known.

**5. Fire Fighting Measures**

<b>Flash Pt:</b>	No data.	
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.
<b>Autoignition Pt:</b>	No data.	
<b>Suitable Extinguishing Media:</b>	Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Do NOT get water inside containers. Use water spray, dry chemical, carbon dioxide, or appropriate foam. Dry powder.	
<b>Fire Fighting Instructions:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts. Contact with metals may evolve flammable hydrogen gas. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.	
<b>Flammable Properties and Hazards:</b>	Carbon oxides, nitrogen oxides (NOx), Hydrogen chloride gas, Sodium oxides.	

**SAFETY DATA SHEET****POWER CHAMP****6. Accidental Release Measures****Protective Precautions,  
Protective Equipment and  
Emergency Procedures:**

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

**Environmental Precautions:**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

**Steps To Be Taken In Case  
Material Is Released Or  
Spilled:**

Use proper personal protective equipment as indicated in Section 8.  
Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. (See Exposure Controls, Personal Protection section). Avoid generating dusty conditions. Provide ventilation. Do not let this chemical enter the environment. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section.

**7. Handling and Storage****Precautions To Be Taken in  
Handling:**

Minimize dust generation and accumulation. Do not ingest or inhale. Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Keep container tightly closed. Avoid ingestion and inhalation. Discard contaminated shoes. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Avoid contact with skin and eyes. Keep away from heat and sources of ignition.

**Precautions To Be Taken in  
Storing:**

Store in a cool, dry place. Store in a tightly closed container.

**8. Exposure Controls/Personal Protection**

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	PEL: 2 mg/m <sup>3</sup>	CEIL: 2 mg/m <sup>3</sup>	No data.
<b>Respiratory Equipment (Specify Type):</b>	Respirator protection is not normally required.			
<b>Eye Protection:</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
<b>Protective Gloves:</b>	Wear appropriate protective gloves to prevent skin exposure.			
<b>Other Protective Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.			
<b>Engineering Controls (Ventilation etc.):</b>	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.			
<b>Work/Hygienic/Maintenance Practices:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
<b>Environmental Exposure Controls:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.			

## POWER CHAMP

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas [ ] Liquid [ X ] Solid	
<b>Appearance and Odor:</b>	White granular powder Mild chlorine odor.	
<b>Melting Point:</b>	No data.	
<b>Boiling Point:</b>	No data.	
<b>Autoignition Pt:</b>	No data.	
<b>Flash Pt:</b>	No data.	
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.
<b>Specific Gravity (Water = 1):</b>	No data.	
<b>Density:</b>	~ 60 LB/CF	
<b>Vapor Pressure (vs. Air or mm Hg):</b>	No data.	
<b>Vapor Density (vs. Air = 1):</b>	No data.	
<b>Evaporation Rate:</b>	No data.	
<b>Solubility in Water:</b>	~ 20%	
<b>pH:</b>	> 12.5 @ 1%	
<b>Percent Volatile:</b>	No data.	

## 10. Stability and Reactivity

<b>Stability:</b>	Unstable [ ] Stable [ X ]
<b>Conditions To Avoid - Instability:</b>	Incompatible materials, dust generation, Excess heat, Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds. contact with water. Exposure to moist air or water.
<b>Incompatibility - Materials To Avoid:</b>	Acids, Strong acids. Metals. fluorine, Hydrogen peroxide, phosphorus pentoxide, 6-trinitrotoluene. Sulfur oxides. Aluminum, Zinc, gelatin, nitromethane, leather, flammable liquids, organic halogens. Oxidizing agents.
<b>Hazardous Decomposition or Byproducts:</b>	Carbon monoxide, Carbon dioxide, Toxic fumes of sodium oxide, oxides of phosphorus, Other decomposition products: No data available. In the event of fire: see section 5.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ ] Will not occur [ X ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.

## POWER CHAMP

## 11. Toxicological Information

**Toxicological Information:** No data available.

**Sensitization:** No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

**General Ecological Information:** Environmental: Not regulated under U.S. Department of Transportation regulations (29 CFR)

Physical: No information available.

Other: Do not empty into drains.

**Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.  
RCRA P-Series: None listed.  
RCRA U-Series: None listed. Product.  
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.  
Contaminated packaging.

## 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)

**DOT Hazard Class:** 8 CORROSIVE

**UN/NA Number:** UN3262 **Packing Group:** II



## 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	No	Yes 1000 LB	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-73-2	Sodium hydroxide {Caustic soda; Lye solution}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

## POWER CHAMP

## 16. Other Information

Revision Date: 12/27/2017  
 Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
REACTIVITY		2
PPE		B

HMIS:

Additional Information About This Product: No data available.

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.